<u>100</u>




FIG. 1

<u>200</u>

	Optional Compone	ents Wizard .	×
	Select Plug-in Mod Select option	dules onal components to install.	
	Module	Description	
210		Creates embedded form for letterhead, etc Uses embedded PRESCRIBE form module Places light watermark text across pages Optional render module Kyocera PDL (PostScript emulation)	
215			

FIG. 2

<u>300</u>




FIG. 3

<u>400</u>




FIG. 4

## <u>500</u>

510 PUBLIC	C DEVMODE AREA
520 FIXED SIZE H	HEAP AREA FOR PRIVATE DEVMODE
<u>521</u> PLUG-I	IN MODULE PRIVATE DEVMODE
<u>522</u> PLUG-I	IN MODULE PRIVATE DEVMODE
	IN MODULE PRIVATE DEVMODE (BEING ALLOCATED)
<u>524</u>	FREE AREA

FIG. 5

## <u>600</u>

620 FIXED SIZE HEAP AREA FOR PRIVATE DEVMODE
621 PLUG-IN MODULE PRIVATE DEVMODE (BEING REMOVED)
622 PLUG-IN MODULE PRIVATE DEVMODE (MOVES UP 个)
623 PLUG-IN MODULE PRIVATE DEVMODE  ( MOVES UP 个 )
624 FREE AREA

FIG. 6




FIG. 7




FIG. 8

910

Initiate installation
of a printer
on the client from the server

<u>920</u>

Check registry entries for any plug-in modules

930

Copy plug-in DLL files corresponding to the found plug-in modules from the server to the client

FIG. 9